0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**



DRPT Virginia Department of Rail and Public Transportation
U.S. Department of Transportation Federal Railroad Administration
www.DC2RVArail.com
DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

*WEB VIEWING ONLY*

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 2 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\dts\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibrationWeb_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

*WEB VIEWING ONLY*

*WEB VIEWING ONLY*

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 3 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

*WEB VIEWING ONLY*

*WEB VIEWING ONLY*

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 4 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

*WEB VIEWING ONLY*

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**



DRPT Virginia Department of Rail and Public Transportation
U.S. Department of Transportation Federal Railroad Administration
www.DC2RVArail.com
DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cfs main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibrationWeb_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 6 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\Noise and Vibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 7 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017

0 250 500

Feet
1 inch = 500 feet
@ 11 x 17 inches

Projection: Lambert Conformal Conic
State Plane Virginia North FIPS 4501 Feet
North American Datum of 1983
Imagery/Basemap Source: 2015 Bing
Aerial Imagery; ESRI World Transportation

## Legend

- Category 1 Moderate Noise Impact Contour
- Category 1 Severe Noise Impact Contour
- Category 1 Moderate Noise Impacts
- Category 1 Severe Noise Impacts
- Category 2 Moderate Noise Impact Contour
- Category 2 Severe Noise Impact Contour
- Category 2 Moderate Noise Impacts
- Category 2 Severe Noise Impacts
- Category 3 Moderate Noise Impact Contour
- Category 3 Severe Noise Impact Contour
- Category 3 Moderate Noise Impacts
- Category 3 Severe Noise Impacts
- CSXT Mileposts
- Track - Existing
- Stations
- Proposed Stations
- CSXT ROW (County Parcel Data)
- City/County Boundary

**Appendix F**
**Noise Analysis**
**Area 5A, 5B, & 5D:**
**Ashland**

Sheet 8 of 8

DRPT Virginia Department of Rail and Public Transportation

U.S. Department of Transportation
Federal Railroad Administration

www.DC2RVArail.com

DC TO RICHMOND SOUTHEAST HIGH SPEED RAIL

\\cits\main\gis_data\GIS\Projects\011545_VADeptofRails-PublicTransportation\0239056_RAPS-4AltDev-ConceptEng\map_docs\mxd\DEIS\Tech Reports\NoiseandVibration\Web_Versions\NoiseVib_Area5ABD_Mapbook_11x17_WEB.mxd | Last Updated: 08.15.2017